

Risk Assessment – Bouldering

Baseline	<input checked="" type="checkbox"/>	Site Specific	<input type="checkbox"/>	Vulnerable Person	<input type="checkbox"/>	Temporary	<input type="checkbox"/>
Produced by:	Leigh Phillips		Date of issue:	05/01/2018	Review date:	01/01/2019	

Operation Notes:

- Supervision ratio is 1 Activity Leader to 15 participants
- Internal Technical Advice from the Activities Manager
- Structure and equipment must be managed as per the Equipment Management System / regime.
- Impact mats should be provided at the base of the wall, or a horizontal line marked above which participants' feet must not go, or holds positioned to limit how high participants can climb
- Structure must be secured against casual access

Qualifications/ Competence:

- Activity Leader to be trained to in-house syllabus. Refresher training as directed by session observations. No special requirements for Chief Instructor
- All Activity Leaders must have their first session observed and then regularly as per the observation standards.
- All Activity Leaders are required to maintain their skill level and must attend refresher training after lengthy periods of absence / shut down.

Risk – Benefit Statement: There is very low risk of minor grazes, bruises and sprains but high levels of participation in physical activity making the risk acceptable.

Hazard Description and activities giving rise to risk	Who may be harmed	Control Measures	Risk Rating
Uneven floor surface – through gaps forming between impact mats and causing twisted or sprained ankles	Participants	<ul style="list-style-type: none"> • Check that mats do not have gaps between them at the beginning of the activity and make adjustments as needed through the session 	Very Low
Falls from height – and collisions with other participants	Participants	<ul style="list-style-type: none"> • Demonstrate spotting techniques and enforce their use with participants • Watch for climbers going too high and intervene if they do • Space out climbers and tell them to give each other plenty of room 	Very Low
Sprain / strains	Participants	<ul style="list-style-type: none"> • A warm up is required at the start of the session 	Very Low